



Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was plotted against the number of trials for each condition. The number of correct responses increased with the number of trials for all conditions. The number of correct responses was highest for the condition with the highest number of trials (10 trials) and lowest for the condition with the lowest number of trials (2 trials).



- #### ④ Közúti pályaszerkezet átépítése
- 4,0 cm AC 11 kopó (F) kopóréteg
 - 7,0 cm AC 22 kötő (F) kötérréteg
 - feszültségmentesítő SAMI réteg
 - 20,0 cm Ckt-4 j. alapréteg
 - 25,0 cm vlt. homokoskavicok fagyvédő-javító réteg

Változat sorszáma:		Változtatás dátuma:	Változtatás oka:
Tervfázis:			
		H-1046 Budapest, Ügető utca 24.	
VIA-TRITA Kft.		Tel: (+36-1) 230-2973, Fax: (+36-1) 230-2973 E-mail: zsold.laszlo@uttervezo.hu	
Megbízó:	Siófok Város Önkormányzata 8600 Siófok, Fő tér 1.	Dátum:	Tervszám:
Tárgy:	Siófok, Bláthy utcában új gyalogátkelő létesítése a Lidl áruháznál	2025. augusztus	2510
Szakág:	ÚTÉPÍTÉS, VÍZÉPÍTÉS, FORGALOMTECHNIKA	Magassági alapszint:	Rajzszám:
Részművelet:	Keresztszelvény - pályaszerkezet	EOMA	5.
		Méretarány:	1:50
		Főtervező:	Gygyezető:
		Nagy Gyula	László Zsolt
		Tervező:	Ellenőr:
		Nagy Gyula	László Zsolt
		Szaktervező:	
		Kovács Zsolt	
		László Erzsébet	
Ez a terv a VIA-TRITA Kft. szellemi tulajdona			